

Fujitsu recommends Windows.

# Data Sheet

## FUJITSU LIFEBOOK P772

### Notebook

#### The Small Companion to Go

---

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

#### Elegant design combined with smallest size

Ultimate mobility for maximum convenience and style on the move.

- Starting from 1.4 kg, small form factor, attractive glossy black or matt option

#### Ergonomic Working

Enhanced versatility for ultimate efficiency in the office or on business trips.

- Anti-glare display, 16:10 aspect ratio, DisplayPort, ScrollWheel, Full HD webcam and port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

#### Maximum security

Protect your valuable company data against unauthorized third-party access.

- Optional SmartCard reader, Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor

#### Reliable Companion

Secure and effective working even for the most demanding users in all situations.

- Spill-resistant keyboard, ShockSensor, magnesium lid and extra-long battery runtime
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

#### Highest flexibility

Configure the system according to your personal preferences.

- Modular bay for DVD drive, second battery, second HDD or the world's first Bay Projector, optional embedded 3G/UMTS or 4G/LTE, SSD drive



# Components

<b>Processor</b>	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)
	Intel® Core™ i7-3687U processor (2.1 GHz, up to 3.3 GHz, 4 MB)
	Intel® Core™ i5-3340M processor (2.7 GHz, up to 3.4 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business
<b>Operating systems</b>	
<b>Operating system</b>	Windows 8 Pro 64-bit Windows 8 64-bit Windows 7 Professional 64-bit Windows 7 Home Premium 64-bit Windows 7 Home Basic 64-bit (EM)
<b>Operating system compatible</b>	Windows® XP 32-bit Windows 8 32-bit
<b>Operating system notes</b>	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via <a href="http://support.ts.fujitsu.com">http://support.ts.fujitsu.com</a>
<b>Memory modules</b>	2 GB (1 module(s) 2 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM
<b>Hard disk drives (internal)</b>	SSD SATA III FDE, 128 GB, 2.5-inch
	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 7,200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7,200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
<b>Hard disk notes</b>	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
<b>Modular bay options</b>	2nd battery
	2nd hard disk drive (S-ATA II)
	Bay Projector
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
<b>Interface add on cards/components (optional)</b>	
<b>3G/4G (optional)</b>	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
<b>WLAN (optional)</b>	Intel® Centrino® Wireless-N2200 b/g/n
	Intel® Centrino® 6205 802.11 a/b/g/n
<b>Bluetooth</b>	Bluetooth 4.0
<b>Display</b>	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, magnesium, 1,280 x 800 pixel, 300:1, 200 cd/m <sup>2</sup>
<b>Multimedia</b>	
<b>Camera</b>	Optional: Built-in webcam, Full HD (2,073 megapixel) (Microsoft® Lync™)

# Base unit

Base unit	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC glossy black	LIFEBOOK P772 SC matt
<b>General system information</b>			
Chipset	Intel® QM77		
Chipset notes	supports iAMT 8.0 Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module		
Memory slots	2 DIMM (DDR3)		
Supported capacity RAM (max.)	16 GB		
Memory notes	DDR3 - 1,600 MHz		
LAN	Built-in 10/100/1,000 MBit/s Intel® 82579 LM		
BIOS features	BIOS based on Phoenix SecureCore		
Audio type	On board		
Audio codec	Realtek ALC269		
Audio features	Stereo speakers, 1x built-in microphone		
Color	Black	Black	Black
Material	Glossy	Glossy	Matt
<b>Display</b>			
Display notes	ISO 9241-307 - Pixel class II		
<b>Graphics</b>			
Base unit	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC glossy black	LIFEBOOK P772 SC matt
TFT resolution (DisplayPort)	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DisplayPort on Port Replicator)	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors	Intel® HD Graphics 4000 with 3rd generation Core i processors	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics features	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
<b>Interfaces</b>			
DC-in	1	1	
Audio: line-out / headphone	1	1	
Audio: line-in / microphone	1	1	
Internal microphones	1 (digital)	1 (digital)	
USB 2.0 total	1	1	
USB 3.0 total	2 (1 with Anytime USB Charge functionality)	2 (1 with Anytime USB Charge functionality)	
VGA	1	1	
DisplayPort	1 (V1.1a)	1 (V1.1a)	
Ethernet (RJ-45)	1	1	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	
Express card slots	1 (34 mm and 54 mm supported)		
SmartCard slot		1	
SIM card slot	1	1	
<b>Port Replicator interfaces (optional)</b>			
DC-in	1 (19V)		

**Port Replicator interfaces (optional)**

Power on switch	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
eSATA	1
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage

**Keyboard and pointing devices**

Spill-resistant keyboard (new layout)  
 Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm  
 Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel  
 Optional: Fingerprint sensor  
 Application buttons

**Wireless technologies**

Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional
WLAN notes	Import and usage according to country-specific regulations.

**Power supply**

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Slim and light AC-Adapter, 0.180 kg, 133x30x30 mm 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.250 kg, 108x46x30 mm 19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.340 kg, 140x56x29 mm 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technology, 0.340 kg, 140x56x28 mm
Notes	65 W AC Adapter for usage with system/ 80 W AC Adapter for usage with Port Replicator 65W AC Adapter for usage with system / 80W AC Adapter for usage with Port Replicator

1st battery options	Li-Ion battery 6-cell, 6,700 mAh, 72 Wh Li-Ion battery 6-cell, 5,800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2,600, mAh, 28 Wh
Runtime 1st battery	Up to 13 h
Runtime 1st + 2nd battery	Up to 18 h
Battery charging time	~120 min (63 Wh) ~ 190 min (72 Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

**Related Processors for power consumption**

Link to Energy White Paper	<a href="http://docs.ts.fujitsu.com/dl.aspx?id=2dfbbe00-f7e9-40af-92b3-3709e448b5da">http://docs.ts.fujitsu.com/dl.aspx?id=2dfbbe00-f7e9-40af-92b3-3709e448b5da</a>
----------------------------	---

**Dimensions / Weight / Environmental**

Dimensions (W x D x H)	282 x 215 x 31 mm
Weight	1.45 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 85 %

**Compliance**

Europe	CB CE Nordic Swan in progress
--------	-------------------------------------

**Compliance**

<b>Global</b>	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) (planned)
<b>Compliance notes</b>	Above mentioned compliances are planned but not available at preliminary stage.
<b>Compliance link</b>	<a href="http://globasp.ts.fujitsu.com/sites/certificates">http://globasp.ts.fujitsu.com/sites/certificates</a>

**Additional Software**

<b>Additional software (preinstalled)</b>	Adobe® Reader® (pdf reader) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days trial version)
<b>Additional software (optional)</b>	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

**Manageability**

<b>Manageability technology</b>	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 8.0 (depending on CPU)
<b>Manageability software</b>	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
<b>DeskView components</b>	Inventory Management BIOS Management Driver Management Security Management Alarm Management
<b>Supported standards</b>	WMI PXE BootP (made4you)
<b>Manageability link</b>	<a href="http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html">http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html</a>

**Security**

<b>Physical Security</b>	Kensington Lock support								
<b>System and BIOS Security</b>	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2)								
<b>User Security</b>	<table border="0"> <tr> <td>Hard disk password</td> <td>Hard disk password</td> </tr> <tr> <td>User and supervisor BIOS password</td> <td>Integrated SmartCard slot</td> </tr> <tr> <td>Integrated fingerprint sensor including OmniPass software (optional)</td> <td>User and supervisor BIOS password</td> </tr> <tr> <td></td> <td>Integrated fingerprint sensor including OmniPass software (optional)</td> </tr> </table>	Hard disk password	Hard disk password	User and supervisor BIOS password	Integrated SmartCard slot	Integrated fingerprint sensor including OmniPass software (optional)	User and supervisor BIOS password		Integrated fingerprint sensor including OmniPass software (optional)
Hard disk password	Hard disk password								
User and supervisor BIOS password	Integrated SmartCard slot								
Integrated fingerprint sensor including OmniPass software (optional)	User and supervisor BIOS password								
	Integrated fingerprint sensor including OmniPass software (optional)								

**Warranty**

<b>Standard Warranty</b>	2 years (depending on country)
<b>Service level</b>	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
<b>Warranty Terms &amp; Conditions</b>	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
<b>Maintenance and Support Services - the perfect extension</b>	
<b>Recommended Service</b>	9x5, Response Time: Next Business Day

**Warranty**

Spare Parts availability	5 years after end of product life
Service Weblink	<a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a>

## Recommended Accessories

**Port Replicator**

Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Order Code:  
S26391-F977-L100

**LIFEBOOK Bundle (Port Replicator, AC Adapter, EU Cable Kit)**

The combination of a Fujitsu Port Replicator and AC Adapter (with EU cable) is the perfect docking solution for your LIFEBOOK. Simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the port replicator and get connected to your peripherals.

Order Code:  
S26391-F977-L200

**AC Adapter LIFEBOOK**

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:  
S26391-F886-L200

**Second Battery for Modular Bay**

Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:  
S26391-F1124-L500

**PocketSaver**

The Fujitsu Kensington PocketSaver with its pocketable design and 1200mm retractable steel cable is the perfect anti-theft solution for when you are on the go. The patented T-bar lock mechanism and the tempered steel cable provide maximum security. The Fujitsu Kensington PocketSaver keeps your device protected wherever you roam.

Order Code:  
S26391-F6045-L100

**Privacy filter**

Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microlouer privacy technology allows persons directly in front of the computer to see on-screen data clearly

Order Code:  
S26391-F6097-L312

**Fujitsu Bay Projector**

The innovative Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.

Order Code:  
S26391-F1104-L600

**Mobile Bluetooth  
Communication Speaker**



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:  
S26391-F7128-L700

## More information

### Fujitsu OPTIMIZATION Services

In addition to FUJITSU LIFEBOOK P772, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

#### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

### More information

Learn more about FUJITSU LIFEBOOK P772, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/mobile](http://www.fujitsu.com/fts/mobile)

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



**Green  
Policy  
Innovation**

### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2014-07-10 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions