

Fujitsu recommends Windows.

Data Sheet

FUJITSU LIFEBOOK E752

Notebook

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

More than enough performance

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

- Up to 3rd generation Intel® Core™ i7 processor, Intel® integrated graphics
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Performance of a desktop in a notebook

Effective working even for the most demanding of users in all situations.

- 39.6 cm (15.6-inch) HD or HD+ display, modular bay, optional second hard disk drive
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Integrated DisplayPort, eSATA, serial port, optional USB 3.0, optional embedded 3G/UMTS or 4G/LTE, WLAN and Bluetooth®

Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass software

Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E752 and E782 as well as for LIFEBOOK S752 and S782.

- Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive



Components

Processor	<p>Intel® Core™ i7-3632QM processor (2.2 GHz, up to 3.2 GHz, 6 MB) *</p> <p>Intel® Core™ i5-3230M processor (2.6 GHz, up to 3.2 GHz, 3 MB) *</p> <p>Intel® Core™ i3-3120M processor (2.5 GHz, 3 MB) *</p> <p>Intel® Core™ i7-3540M processor (3.0 GHz, up to 3.7 GHz, 4 MB)</p> <p>Intel® Core™ i5-3360M processor (2.8 GHz, up to 3.5 GHz, 3 MB)</p> <p>Intel® Core™ i5-3340M processor (2.7 GHz, up to 3.4 GHz, 3 MB)</p> <p>Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)</p> <p>*Processor only for retail, SMB, education and government</p> <p>Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business</p>
Operating systems	
Operating system	<p>Windows 8 Pro 64-bit</p> <p>Windows 8 64-bit</p> <p>Windows 7 Professional 64-bit</p> <p>Windows 7 Home Premium 64-bit</p> <p>Windows 7 Home Basic 64-bit (EM)</p>
Operating system compatible	<p>Windows® XP 32-bit</p> <p>Windows 8 32-bit</p>
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com
Memory modules	<p>2 GB (1 module(s) 2 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM</p> <p>4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM</p> <p>8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM</p>
Hard disk drives (internal)	<p>SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.</p> <p>SSD SATA III FDE, 128 GB, 2.5-inch</p> <p>SSD SATA III, 256 GB, 2.5-inch</p> <p>SSD SATA III, 128 GB, 2.5-inch</p> <p>SATA, 7,200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.</p> <p>SATA, 7,200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.</p> <p>SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.</p> <p>mSATA, 32 GB, SSD cache for IRST & Express Cache</p> <p>FDE, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.</p>
Hard disk notes	<p>ShockSensor for HDD shock protection</p> <p>One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.</p> <p>Accessible capacity may vary, also depending on used software.</p> <p>Up to 20 GB of HDD space is reserved for system recovery</p> <p>Internal HDD interface: S-ATA III (6Gbit/s)</p>
Modular bay options	<p>2nd battery</p> <p>2nd hard disk drive (S-ATA II)</p> <p>Blu-ray Disc™ Triple Writer</p> <p>DVD Super Multi</p> <p>Weight saver</p>
Interface add on cards/components (optional)	
3G/4G (optional)	<p>Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)</p> <p>LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)</p>
WLAN (optional)	<p>Intel® Centrino® Wireless-N2200 b/g/n</p> <p>Intel® Centrino® 6205 802.11 a/b/g/n</p>
Bluetooth	Bluetooth 4.0

Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1,600 x 900 pixel, 300:1, 220 cd/m ²
	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1,366 x 768 pixel, 300:1, 220 cd/m ²
Multimedia	
Camera	Optional: Built-in HD webcam or Full HD webcam (Microsoft® Lync™) (depending on configuration)

Base unit

Base unit	LIFEBOOK E752 15.6-inch	LIFEBOOK E752 15.6-inch 10-key	LIFEBOOK E752 15.6-inch vPro	LIFEBOOK E752 15.6-inch vPro 10-key
-----------	-------------------------	-----------------------------------	---------------------------------	--

General system information

Chipset	Intel® HM76		Intel® QM77	
Chipset notes			supports iAMT 8.0 Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module	
Memory slots	2 DIMM (DDR3)		2 DIMM (DDR3)	
Supported capacity RAM (max.)	16 GB		16 GB	
Memory notes	DDR3 - 1,600 MHz		DDR3 - 1,600 MHz	
LAN	Built-in 10/100/1,000 MBit/s Intel® 82579 V		Built-in 10/100/1,000 MBit/s Intel® 82579 LM	
BIOS features	BIOS based on Phoenix SecureCore		BIOS based on Phoenix SecureCore	
Audio type	On board		On board	
Audio codec	Realtek ALC269		Realtek ALC269	
Audio features	Stereo speakers		Stereo speakers	
Display				
Display notes	ISO 9241-307 - Pixel class II			

Graphics

Base unit	LIFEBOOK E752 15.6-inch	LIFEBOOK E752 15.6-inch 10-key	LIFEBOOK E752 15.6-inch vPro	LIFEBOOK E752 15.6-inch vPro 10-key
TFT resolution (DisplayPort)	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DisplayPort on Port Replicator)	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600	up to 2,560 x 1,600
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors	Intel® HD Graphics 4000 with 3rd generation Core i processors	Intel® HD Graphics 4000 with 3rd generation Core i processors	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics features	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)	3 Display Support with 3rd generation Core i processors (1x internal display, 1x Displayport with system, 1x Displayport with port replicator)
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1
Audio: line-in / microphone	1
Internal microphones	2x digital (array) microphones as option
USB 2.0 total	2 (1x with Anytime USB Charge functionality)
USB 3.0 total	2 (1 thereof is the E-SATA & USB combo)

Interfaces

VGA	1
DisplayPort	1 (V1.1a)
Serial (RS-232)	1
Ethernet (RJ-45)	1
Modem (RJ-11)	1 (optional)
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB, MS Pro, MS Pro Duo)
Express card slots	1 (34 / 54 mm supported)
SmartCard slot	1
SIM card slot	1
eSATA & USB combo	1

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality in combination with LIFEBOOK E752, E782 and LIFEBOOK S752, S782

Keyboard and pointing devices

Spill-resistant keyboard (new layout)	Spill-resistant keyboard	Spill-resistant keyboard (new layout)	Spill-resistant keyboard
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
Multi gesture touchpad with two mouse buttons Optional: Fingerprint sensor Optional: TouchStick Application buttons			

Wireless technologies

Antennas	2 dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional
WLAN notes	Import and usage according to country-specific regulations.

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Slim and light AC-Adapter, 0.180 kg, 133x30x30 mm 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.250 kg, 108x46x30 mm 19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.340 kg, 140x56x29 mm 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technology, 0.340 kg, 140x56x28 mm
Notes	65W AC Adapter for usage with system with i3/i5 processors/ 80W AC Adapter for usage with Port Replicator or for systems with i7 processor
1st battery options	Li-Ion battery 6-cell, 6,700 mAh, 72 Wh Li-Ion battery 6-cell, 5,800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 3,800, mAh, 41 Wh
Runtime 1st battery	up to 12 h
Runtime 1st + 2nd battery	up to 18 h

Power supply

Battery charging time	~160 min (63Wh) ~ 190 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Power consumption

Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=a8df36af-cd99-4eb7-8519-c69dee796c7c

Dimensions / Weight / Environmental

Dimensions (W x D x H)	372 x 245 x 35 mm
Weight	2.5 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 85 %

Compliance

Germany	GS
Europe	CE CB
USA/Canada	FCC (depending on configuration)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions)
China	CCC (depending on configuration)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	Adobe® Reader® (pdf reader) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	

Manageability

Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html

Security

Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2)
User Security	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Integrated fingerprint sensor including OmniPass software (optional)

Warranty

Standard Warranty	1 year (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services - the perfect extension	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator

Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Order Code:
S26391-F1147-L100

Port Replicator

Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Order Code:
S26391-F1147-L110

USB 3.0 Hub 4 Ports

Connecting all of your USB peripherals is quick and easy with the Fujitsu USB 3.0 Hub 4 Ports. SuperSpeed USB 3.0 makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.

Order Code:
S26391-F6099-L304

AC Adapter LIFEBOOK



Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code:
S26391-F886-L200

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:
S26391-F777-L200

**Wireless Notebook Mouse
WI610**



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code:
S26381-K460-L100

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU LIFEBOOK E752, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU LIFEBOOK E752, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions
Website: www.fujitsu.com/fts
2014-07-09 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions